



Simec AG

Areal Bleiche West Postfach 413 CH - 4800 Zofingen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail: info@simec.ch www.simec.ch

Test report

Number **C 35895**

Object of analysis: Zhengzhou Pharmaceutical, Trenbolone Acetate 100 mg

Customer: Imeriakov Aleksei

Samples: 1

Batch: 073693

Receipt: 09.09.2015

Subject: Assay, Identification

Method(s): HPLC

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Trenbolone acetate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	113.7 mg/mL	100 mg/mL	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
E = external lab

Remarks:

Signatures: controlled & released:

Staff:

completed:

06.10.2015


The enclosed results refer exclusively to the object of examination described above.
The measuring accuracy is available on request. Only handwritten signatures are valid.
Without written permission, it is not allowed to publish single parts of this report.

page 1 of 1

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 02.10.2015 15:34:09
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 85, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 05.10.2015 09:07:00
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate			0.000 BDL	

Totals				
--------	--	--	--	--

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 15-32-53_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:07:05
Analysendatum:	02.10.2015 16:27:31	Injektvolumen:	20
Vial:	2		
Probenidentifikation:	STD Trenbolone Acetat		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.610	13716722	0.000	67.461
	14.263	6616214	0.000	32.539

Totals		20332936	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 16-26-15_STD Trenbolone Acetat-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:07:11
Analysendatum:	02.10.2015 17:20:59	Injektvolumen:	20
Vial:	2		
Probenidentifikation:	STD Trenbolone Acetat		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.643	13981604	0.000	67.280
	14.317	6799536	0.000	32.720

Totals		20781140	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 17-19-43_STD Trenbolone Acetat-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:07:17
Analysendatum:	02.10.2015 18:14:20	Injektvolumen:	20
Vial:	2		
Probenidentifikation:	STD Trenbolone Acetat		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.650	14044705	0.000	67.757
	14.330	6683348	0.000	32.243

Totals		20728053	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 18-13-05_STD Trenbolone Acetat-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:07:23
Analysendatum:	02.10.2015 19:07:42	Injektvolumen:	20
Vial:	2		
Probenidentifikation:	STD Trenbolone Acetat		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.653	14106515	0.000	68.523
	14.247	6480121	0.000	31.477

Totals		20586636	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 19-06-26_STD Trenbolone Acetat-Rep4.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:07:28
Analysendatum:	02.10.2015 20:01:07	Injektvolumen:	20
Vial:	2		
Probenidentifikation:	STD Trenbolone Acetat		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.657	14353891	0.000	69.550
	14.253	6284308	0.000	30.450

Totals		20638199	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 19-59-53_STD Trenbolone Acetat-Rep5.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:07:36
Analysendatum:	02.10.2015 20:54:26	Injektvolumen:	20
Vial:	2		
Probenidentifikation:	STD Trenbolone Acetat		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.657	14483274	0.000	70.611
	14.260	6028070	0.000	29.389


Totals		20511344	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 20-53-13_STD Trenbolone Acetat-Rep6.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 02.10.2015 21:47:52
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 85, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 05.10.2015 09:07:42
 Injektvolumen: 20



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone acetate			0.000 BDL	
Totals				

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 21-46-40_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:07:48
Analysendatum:	02.10.2015 22:41:20	Injektvolumen:	20
Vial:	3		
Probenidentifikation:	C35895 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.660	13741503	0.000	36.850
	14.297	2780965	0.000	7.458
	14.833	15569597	0.000	41.752
	15.433	5198549	0.000	13.941

Totals		37290614	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 22-40-06_C35895 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 02.10.2015 23:34:42 Druckdatum: 05.10.2015 09:07:55
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: C35895 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 85, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.660	13919974	0.000	37.242
	14.307	2759982	0.000	7.384
	14.833	15634064	0.000	41.828
	15.443	5062966	0.000	13.546
Totals		37376986	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\02.10.2015 23-33-27_C35895 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:08:04
Analysendatum:	03.10.2015 00:28:02	Injektvolumen:	20
Vial:	3		
Probenidentifikation:	C35895 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.653	14077429	0.000	37.839
	14.317	2614480	0.000	7.028
	14.823	15693787	0.000	42.184
	15.457	4817602	0.000	12.949


Totals		37203298	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\03.10.2015 00-26-49_C35895 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 03.10.2015 01:21:21
 Vial: 4
 Probenidentifikation: C35895 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 85, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 05.10.2015 09:08:10
 Injektvolumen: 20



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.660	14433165	0.000	38.055
	14.337	2587375	0.000	6.822
	14.837	16075215	0.000	42.385
	15.473	4830882	0.000	12.737
Totals		37926637	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\03.10.2015 01-20-08_C35895 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	05.10.2015 09:08:21
Analysendatum:	03.10.2015 02:14:40	Injektvolumen:	20
Vial:	4		
Probenidentifikation:	C35895 B		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 85, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.663	14465394	0.000	38.219
	14.350	2521477	0.000	6.662
	14.837	16120973	0.000	42.593
	15.487	4740859	0.000	12.526

Totals		37848703	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\03.10.2015 02-13-27_C35895 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 03.10.2015 03:08:03 Druckdatum: 05.10.2015 09:08:27
 Vial: 4 Injektvolumen: 20
 Probenidentifikation: C35895 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 85, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone acetate	13.660	14582102	0.000	38.621
	14.363	2368247	0.000	6.272
	14.833	16243898	0.000	43.023
	15.497	4562391	0.000	12.084
Totals		37756638	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\03.10.2015 03-06-47_C35895 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 03.10.2015 04:01:27
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 85, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 05.10.2015 09:08:39
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone acetate			0.000 BDL	
Totals				

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Oktober 2015\Diverse Steroide\02.10.15\03.10.2015 04-00-11_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met